

DISCLAIMER: THE INFORMATION CONTAINED IN THIS EBOOK IS PROVIDED EXCLUSIVELY FOR RESEARCH PURPOSES. This designation implies that information on peptides is intended for in vitro tests and laboratory experiments only. It is emphasised that all information material in this ebook is for educational purposes only. The information presented here should only be reviewed and used by appropriately qualified and licensed professionals.

Welcome to Wolverine2 Protocol

Your Secret for Superhuman Healing

In the world of comics, Wolverine is famous for his incredible ability to heal quickly from any wound or injury, a quality that makes him almost invincible.

Inspired by this legendary figure, we developed the 'Wolverine2 Protocol', a revolutionary approach in the field of regenerative medicine.

This unique protocol promises to be your key to an almost miraculous recovery, even for the most serious injuries.

The Wolverine2 Protocol combines the powerful properties of the peptides BPC-157 and TB-500, creating a synergy never before seen in the field of health and wellness.

BPC-157, known for its efficacy in treating gastrointestinal disorders, and TB-500, an excellent remedy for muscular and soft tissue injuries, together form a combination that accelerates your healing and reduces recovery time.

This eBook will guide you through the fascination and science behind the Wolverine Protocol2, explaining how each peptide contributes to rapid and effective healing.



Through this protocol, you will be able to address a variety of injuries, from the most common to the most complex, and you will be able to significantly improve your quality of life.

The Wolverine2 Protocol represents a breakthrough in tissue regeneration and opens up new frontiers in the science of wellness and longevity.

The Wolverine2 protocol consists of the two 'healing' peptides for excellence, the BPC-157 and the TB-500.

When used in synergy and in the correct dosages, these two peptides are able to give the body truly incredible healing and repairing properties.

Many users do not exploit the full potential of these two peptides because they use them separately, or do not apply the correct dosages.

This text will give you the right information to make the best use of BPC-157 and TB-500 peptides, so that you too can benefit from this treatment and recover sooner and better from injuries, trauma, surgery, etc.

What is BPC-157:

BPC-157 is a penta-decapeptide, i.e. a peptide composed of 15 amino acids.

BPC-157 is a derivative of a natural protein called body protection compound (BPC) present in the digestive tract, where it plays an important role in protecting the stomach lining from gastric juices

The peptide has been shown to perform the following functions:

- promotes wound healing in various tissues
- increases the growth rate of blood vessels
- improves blood coagulation
- boosts the immune system.

In addition, BPC-157 has been shown to protect organs and help prevent gastric ulcers.

BPC-157 also acts in the digestive tract to combat intestinal leakage, irritable bowel syndrome, gastrointestinal cramps and Crohn's disease.

This peptide is also known to possess analgesic characteristics.

Research has shown its ability to help skin burns heal faster by increasing blood flow to damaged tissue.

BPC-157 peptide actively modulates the levels of several growth factors and signalling hormones to stabilise blood vessel growth, blood coagulation, immune function and tissue repair.

This coordinated activity suggests that BPC-157 alters DNA expression patterns in a way that helps to improve the tissue environment to optimise wound repair.



What is the TB-500?

TB-500 is a poly-peptide of 43 amino acids and is an important mediator of cell proliferation, migration and differentiation.

TB-500 can promote cell migration and adhesion of endothelial cells and angiogenesis, consequently accelerating wound healing, reducing inflammation and promoting wound healing.

TB-500 has been shown to improve blood vessel growth, regulate wound healing, decrease inflammation and reduce oxidative damage in the heart and central nervous system.

TB-500 plays a role in the protection, repair and regeneration of injured or damaged tissue.

In addition, the peptide also appears to have anti ageing properties.

Many published studies indicate that TB-500 plays a crucial role in neuroprotection, nerve repair and the treatment of traumatic and neurological injuries.

TB-500's most important activity may be its ownership of

bind actin to promote migration and differentiation of the

neural stem/progenitor cells in the injured area, thus favouring the processes of cell repair or regeneration.

Benefits of TB-500:

The peptide has been shown to perform the following functions:

- Increases the cells involved in the wound healing process
- Improves cell migration to the site of injury
- Promotes angiogenesis
- It is cytoprotective
- Helps reduce scar tissue formation
- Improves T-lymphocyte function
- Helps the recovery of soft tissue injuries
- Increases the power of the immune system
- Supports tendon/ligament/muscle repair

The Combination of BPC-157 and TB-500:

The combination of BPC-157 and TB-500 offers a combined approach of the 2 peptides, which mutually enhance each other.

This unique synergy enhances the healing process in different areas of the body, making them essential tools for dealing with a wide range of injuries.

While BPC-157 focuses on improving the gastrointestinal system and tissue regeneration, TB-500 specialises in muscle and heart healing.

Together, these peptides not only accelerate healing, but also improve tissue flexibility and reduce inflammation, making them effective solutions for almost any type of injury.

Wolverine Protocol2:

The Wolverine Protocol2 is a therapeutic regimen aimed at treating injuries, which is based on the use of two specific peptides, BPC-157 and TB-500.

This protocol is designed to accelerate and facilitate the healing process in cases of muscle, ligament or tendon injuries.



Guidance on how to recombine and administer

Peptides: Materials Needed:

- Lyophilised peptides (BPC-157, TB-500)
- Bacteriostatic water
- Sterile syringes
- Isopropyl alcohol or alcohol-soaked swabs
- **Preparation:**
 - Wash hands thoroughly.
 - Clean the work surface.
 - Disinfect the rubber stoppers of the peptide and bacteriostatic water vials with alcohol swabs.
- **Recombination:**
 - Aspirate the required amount of bacteriostatic water with a sterilised syringe.
 - Slowly inject water into the peptide vial, taking care not to direct the flow directly onto the peptide to avoid damage.
 - Do not shake the bottle, but tilt it gently to mix.

Syringe administration INSUMED Syringe preparation:

- Draw the required dose of recombinant peptides into the syringe.
- Remove any air bubbles.
- **Administration:**
 - Disinfect the injection site on the skin with an alcohol swab.
 - For subcutaneous injections, pinch the skin and insert the needle at an angle of about 45°.
- **Post-administration:**
 - Disinfect the area again.
 - Dispose of the used syringe safely.

Dosage and use of peptides in the Wolverine protocol2:

BPC-157:

- **Dosage:**

500 micrograms (mcg) x 2 times a day.

- **Method of Administration:**

Local injection directly into the site of the injury if possible
or into the abdominal area.

Injects must be carried out subcutaneously
with an 'Insured' syringe.

- **Frequency:**

Twice a day, once in the morning and once in the evening.

- **TB-500:**

- **Dosage:**

2.5 milligrams (mg) per day.

- **Method of Administration:**

The injection should be made locally at the site of the injury or in the abdominal area, subcutaneously.

Injections must be carried out subcutaneously with an 'Insured' syringe.

- **Frequency:**

Once a day, preferably in the morning or evening.

Duration of Treatment:

- Treatment should be continued for a period of 12 weeks.
- However, it can be discontinued earlier if complete healing of the injury occurs.

Important Notes:

- The Wolverine Protocol² must be followed under the supervision of a qualified health professional.
- It is essential to monitor the body's reaction to the treatment and adjust the dosage if necessary.
- Treatment may vary depending on the nature and severity of the injury.

In conclusion, the Wolverine Protocol² represents an advanced approach in the field of regenerative medicine, focusing on peptide specificity to optimise recovery from injuries.

Buy peptides for your Wolverine² protocol now:

<https://alkemylabs.com/prodotto/bpc-157-5mg/>

<https://alkemylabs.com/prodotto/tb-500-5mg/>

DISCLAIMER: THE INFORMATION CONTAINED IN THIS EBOOK IS PROVIDED EXCLUSIVELY FOR RESEARCH PURPOSES. This designation implies that peptide information is intended for in vitro tests and laboratory experiments only.

It is emphasised that all information material in this ebook is for educational purposes only. The information presented here should only be reviewed and used by appropriately qualified and licensed professionals.